

## Service and Warranty

If your GPS4 Magnet Mount is to be returned to Seon Design for service, please call toll free 1-877-630-7366, or 604-941-0880, provide the model and/or serial number of your unit, and ask for a Return Authorization (RA) number. An RA number allows the Service Technicians to better track your product when it comes in for service. Please show the RA number on the outside of the package. **ANY PRODUCT SENT TO SEON DESIGN WITHOUT AN RA NUMBER MAY BE REFUSED.**

Please refer to the Warranty form provided with your product to review the terms of warranty service, contact and shipping information, as well as other important issues regarding the service and operation of your product.

Information in this guide is subject to change without notice.  
 © November 2010 Seon Design Inc. All rights reserved.  
[www.seon.com](http://www.seon.com) Printed in Canada Part Number: 700-0111 R002



# GPS4 Magnet Mount

## Quick Installation Guide



## 1 Features

- Based on SiRFstarIII™ GSC3f low power single chip
- High sensitivity (tracking sensitivity -159 dBm)
- Low Current Consumption (31mA) at continuous tracking
- SBAS (WAAS and ENGOS) support (optional)
- Dimensions 1.4 × 1.7 × 0.6 in (36 × 42 × 15 mm)

## 2 Installation

- 1 Determine the mounting location for the GPS receiver. For best signal reception, place it close to the windshield edge with the blue LED facing up.

### Important

Ensure that the location selected to mount the GPS receiver (either concealed or safe surface mount) allows for the running of wiring towards the DVR.

- 2 Mount the GPS magnet mount on a ferrous metal surface.
  - 3 Connect the GPS connector to the GPS receiver connector.
- On the TL4/TL2 DVR, the connector is on the DVR's back panel. See Figure 1.




Figure 1 GPS receiver connector

- On the Explorer MX4 Plus and Explorer Premier DVRs, connect the GPS to the GPS receiver connector on the Smart-Link module. See Figure 2.




Figure 2 GPS receiver connector

## 3 Configure GPS to On

In the Configuration menu of the DVR, go to the GPS/Speed menu and change the setting for GPS display to On.